

# Database Applications (15-415)

## SQL-Part II


Lecture 8, February 3, 2015

Mohammad Hammoud

# Today...

- Last Session:
  - Standard Query Language (SQL)- Part I
- Today's Session:
  - Standard Query Language (SQL)- Part II
- Announcements:
  - PS2 is due on Sunday Feb 08, 2015 by midnight
  - Quiz I is on Thursday Feb 12, 2015 (all topics covered so far are included)
  - Project I is now posted. It is due on Tuesday Feb 17 by midnight

# Outline



# A Join Query

- Find the names of sailors who have reserved boat 101

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

Reserves		
Sid	Bid	Day
22	101	10/10/2013
22	102	10/10/2013

```
select S.sname  
from Sailors S, Reserves R  
where S.sid = R.sid  
       and R.bid = 101
```

# Nested Queries

- Find the names of sailors who have reserved boat 101

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

Reserves		
Sid	Bid	Day
22	101	10/10/2013
22	102	10/10/2013

OR...

```
SELECT S.sname
FROM Sailors S
WHERE S.sid IN (SELECT R.sid
                FROM Reserves R
                WHERE R.bid=101)
```

IN compares a value with a set of values

# Nested Queries

- Find the names of sailors who have not reserved boat 101

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

Reserves		
Sid	Bid	Day
22	101	10/10/2013
22	102	10/10/2013

```
SELECT S.sname
FROM Sailors S
WHERE S.sid NOT IN (SELECT R.sid
                    FROM Reserves R
                    WHERE R.bid=101)
```

# Deeply Nested Queries

- Find the names of sailors who have reserved a red boat

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

Reserves		
Sid	Bid	Day
22	101	10/10/2013
22	102	10/10/2013

Boats		
Bid	Bname	Color
101	Interlake	Red
102	Clipper	Green

```
SELECT S.sname
FROM Sailors S
WHERE S.sid IN (SELECT R.sid
                FROM Reserves R
                WHERE R.bid IN (SELECT B.bid
                                FROM Boats B
                                WHERE B.color = 'red'))
```

In principle, queries with very deeply nested structures are possible!

```

SELECT S.sname
FROM Sailors S
WHERE S.sid IN (SELECT R.sid
FROM Reserves R
WHERE R.bid IN (SELECT B.bid
FROM Boats B
WHERE B.color = 'red'))

```

*Sailors instance:*

<u>sid</u>	sname	rating	age
22	dustin	7	45.0
29	brutus	1	33.0
31	lubber	8	55.5
32	andy	8	25.5
58	rusty	10	35.0
64	horatio	7	35.0
71	zorba	10	16.0
74	horatio	9	35.0
85	art	3	25.5
95	bob	3	63.5
96	frodo	3	25.5

*Reserves instance:*

<u>sid</u>	<u>bid</u>	day
22	101	10/10/98
22	102	10/10/98
22	103	10/8/98
22	104	10/7/98
31	102	11/10/98
31	103	11/6/98
31	104	11/12/98
64	101	9/5/98
64	102	9/8/98
74	103	9/8/98

*Boats instance:*

<u>Bid</u>	Bname	Color
101	Interlake	Blue
102	Interlake	Red
103	Clipper	Green
104	Marine	Red



# Deeply Nested Queries

- Find the names of sailors who have not reserved a red boat

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

Reserves		
Sid	Bid	Day
22	101	10/10/2013
22	102	10/10/2013

Boats		
Bid	Bname	Color
101	Interlake	Red
102	Clipper	Green

```
SELECT S.sname
FROM Sailors S
WHERE S.sid NOT IN (SELECT R.sid
                    FROM Reserves R
                    WHERE R.bid IN (SELECT B.bid
                                    FROM Boats B
                                    WHERE B.color = 'red'))
```

```

SELECT S.sname
FROM Sailors S
WHERE S.sid NOT IN (SELECT R.sid
                    FROM Reserves R
                    WHERE R.bid IN (SELECT B.bid
                                    FROM Boats B
                                    WHERE B.color = 'red'))

```

*Sailors instance:*

<u>sid</u>	sname	rating	age
22	dustin	7	45.0
29	brutus	1	33.0
31	lubber	8	55.5
32	andy	8	25.5
58	rusty	10	35.0
64	horatio	7	35.0
71	zorba	10	16.0
74	horatio	9	35.0
85	art	3	25.5
95	bob	3	63.5
96	frodo	3	25.5

*Reserves instance:*

<u>sid</u>	<u>bid</u>	day
22	101	10/10/98
22	102	10/10/98
22	103	10/8/98
22	104	10/7/98
31	102	11/10/98
31	103	11/6/98
31	104	11/12/98
64	101	9/5/98
64	102	9/8/98
74	103	9/8/98

*Boats instance:*

<u>Bid</u>	Bname	Color
101	Interlake	Blue
102	Interlake	Red
103	Clipper	Green
104	Marine	Red

This returns the names of sailors who have not reserved a red boat!

```

SELECT S.sname
FROM Sailors S
WHERE S.sid IN (SELECT R.sid
                FROM Reserves R
                WHERE R.bid NOT IN (SELECT B.bid
                                    FROM Boats B
                                    WHERE B.color = 'red'))

```

*Sailors instance:*

<u>sid</u>	sname	rating	age
22	dustin	7	45.0
29	brutus	1	33.0
31	lubber	8	55.5
32	andy	8	25.5
58	rusty	10	35.0
64	horatio	7	35.0
71	zorba	10	16.0
74	horatio	9	35.0
85	art	3	25.5
95	bob	3	63.5
96	frodo	3	25.5

*Reserves instance:*

<u>sid</u>	<u>bid</u>	day
22	101	10/10/98
22	102	10/10/98
22	103	10/8/98
22	104	10/7/98
31	102	11/10/98
31	103	11/6/98
31	104	11/12/98
64	101	9/5/98
64	102	9/8/98
74	103	9/8/98

*Boats instance:*

<u>Bid</u>	Bname	Color
101	Interlake	Blue
102	Interlake	Red
103	Clipper	Green
104	Marine	Red

This returns the names of sailors who have reserved a boat that is not red.



The previous one returns the names of sailors who have not reserved a red boat!

```

SELECT S.sname
FROM Sailors S
WHERE S.sid NOT IN (SELECT R.sid
                    FROM Reserves R
                    WHERE R.bid NOT IN (SELECT B.bid
                                        FROM Boats B
                                        WHERE B.color = 'red'))

```

*Sailors instance:*

<u>sid</u>	sname	rating	age
22	dustin	7	45.0
29	brutus	1	33.0
31	lubber	8	55.5
32	andy	8	25.5
58	rusty	10	35.0
64	horatio	7	35.0
71	zorba	10	16.0
74	horatio	9	35.0
85	art	3	25.5
95	bob	3	63.5
96	frodo	3	25.5

*Reserves instance:*

<u>sid</u>	<u>bid</u>	day
22	101	10/10/98
22	102	10/10/98
22	103	10/8/98
22	104	10/7/98
31	102	11/10/98
31	103	11/6/98
31	104	11/12/98
64	101	9/5/98
64	102	9/8/98
74	103	9/8/98

*Boats instance:*

<u>Bid</u>	Bname	Color
101	Interlake	Blue
102	Interlake	Red
103	Clipper	Green
104	Marine	Red

This returns the names of  
sailors who have not  
reserved a boat that is not  
red!



As such, it returns names  
of sailors who have  
reserved only red boats  
(if any)

# Correlated Nested Queries

- Find the names of sailors who have reserved boat 101

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

Reserves		
Sid	Bid	Day
22	101	10/10/2013
22	102	10/10/2013

Compares a value with a set of values

```
SELECT S.sname
FROM Sailors S
WHERE S.sid IN (SELECT R.sid
                FROM Reserves R
                WHERE R.bid=101)
```

Allows us to test whether a set is “nonempty”

```
SELECT S.sname
FROM Sailors S
WHERE EXISTS (SELECT *
              FROM Reserves R
              WHERE R.bid=101
              AND R.sid = S.sid)
```

A correlation

# Correlated Nested Queries


- Find the names of sailors who have not reserved boat 101

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

Reserves		
Sid	Bid	Day
22	101	10/10/2013
22	102	10/10/2013

```
SELECT S.sname
FROM Sailors S
WHERE S.sid NOT IN (SELECT R.sid
                    FROM Reserves R
                    WHERE R.bid=101)
```

```
SELECT S.sname
FROM Sailors S
WHERE NOT EXISTS (SELECT *
                  FROM Reserves R
                  WHERE R.bid=101
                  AND R.sid = S.sid)
```



# Nested Queries with Set-Comparison Operators

- Find sailors whose rating is better than some sailor called Dustin

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT S.sname
FROM Sailors S
WHERE S.rating > ANY (SELECT S2.rating
                      FROM Sailors S2
                      WHERE S2.name = 'Dustin')
```

Q: What if there were *no* sailors called Dustin?

A: An empty set is returned!

# Nested Queries with Set-Comparison Operators

- Find sailors whose rating is better than every sailor called Dustin

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT S.sname
FROM Sailors S
WHERE S.rating > ALL (SELECT S2.rating
                      FROM Sailors S2
                      WHERE S2.name = 'Dustin')
```

Q: What if there were *no* sailors called Dustin?

A: The names of *all* sailors will be returned! (*Be Careful*)



# Nested Queries with Set-Comparison Operators

- Find sailors with the highest sid

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT *  
FROM Sailors S  
WHERE S.sid  
is greater than every other sid
```

# Nested Queries with Set-Comparison Operators

- Find sailors with the highest sid

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT *  
FROM Sailors S  
WHERE S.sid  
is greater than every  
(SELECT S2.sid  
FROM Sailors S2)
```

# Nested Queries with Set-Comparison Operators

- Find sailors with the highest sid

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT *  
FROM Sailors S  
WHERE S.sid  
> ALL  
(SELECT S2.sid  
FROM Sailors S2)
```

Almost Correct!

# Nested Queries with Set-Comparison Operators

- Find sailors with the highest sid

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT *  
FROM Sailors S  
WHERE S.sid  
>= ALL  
(SELECT S2.sid  
FROM Sailors S2)
```

**Now Correct!**

# Nested Queries with Set-Comparison Operators

- Find sailors with the highest sid- *without nested subquery*

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT *  
FROM Sailors S1, Sailors S2  
WHERE S1.sid > S2.sid
```

Q: What does this give?

# Nested Queries with Set-Comparison Operators

- Find sailors with the highest sid- *without nested subquery*

**S1**

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

**S2**

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

**S1 × S2**

S1.Sid	S2.sid	....
22	22	....
22	29	....
29	22	
29	29	

*S1.sid > S2.sid*



# Nested Queries with Set-Comparison Operators

- Find sailors with the highest sid- *without nested subquery*

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT *  
FROM Sailors S1, Sailors S2  
WHERE S1.sid > S2.sid
```

Q: What does this give?

A: All but the smallest sid!

# Nested Queries with Set-Comparison Operators

- Find sailors with the highest sid- *without nested subquery*

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT *  
FROM Sailors S1, Sailors S2  
WHERE S1.sid < S2.sid
```

Q: What does this give?

A: All but the highest sid!



# Nested Queries with Set-Comparison Operators

- Find sailors with the highest sid- *without nested subquery*

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

Therefore...

```
(SELECT *  
FROM Sailors)  
EXCEPT  
(SELECT S1.sid, S1.sname, S1.rating, S1.age  
FROM Sailors S1, Sailors S2  
WHERE S1.sid < S2.sid)
```

I.e., ALL – ( ALL – Highest) = Highest



# Alternative Ways

- Find sailors with the highest sid

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
(SELECT *  
FROM Sailors)  
EXCEPT  
(SELECT S1.sid, S1.sname, S1.rating, S1.age  
FROM Sailors S1, Sailors S2  
WHERE S1.sid < S2.sid)
```

VS.

```
SELECT *  
FROM Sailors S  
WHERE S.sid  
>= ALL  
(SELECT S2.sid  
FROM Sailors S2)
```

# Revisit: Another Example

- Find the names of sailors who have reserved both a red and a green boat

```
(select S.sname from Sailors S, Reserves R, Boats B
where S.sid = R.sid and R.bid = B.bid and B.color = 'green')
intersect
(select S2.sname from Sailors S2, Reserves R2, Boats B2
where S2.sid = R2.sid and R2.bid = B2.bid and B2.color = 'red')
```

The query contains a “subtle bug” which arises because we are using *sname* to identify Sailors, and “sname” is not a key for Sailors!

If we want to compute the names of such Sailors, we would need a  
NESTED QUERY

# A Correct Way

- Find the names of sailors who have reserved both a red and a green boat

```
(select S.sname from Sailors S, Reserves R, Boats B
where S.sid = R.sid and R.bid = B.bid and B.color = 'green')
AND S.sid IN
(select S2.sid from Sailors S2, Reserves R2, Boats B2
where S2.sid = R2.sid and R2.bid = B2.bid and B2.color = 'red')
```

Similarly, queries using EXCEPT can be re-written using NOT IN

# Revisit: Another Example

- Find the name and age of the oldest sailor

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

**~~select S.sname, max (S.age)  
from Sailors S~~**

This query is illegal in SQL- If the “select” clause uses an aggregate function, it must use ONLY aggregate function unless the query contains a “group by” clause!

# A Correct Way

- Find the name and age of the oldest sailor

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT S.sname, S.age
FROM Sailors S
WHERE S.age = (SELECT MAX(S2.age)
                FROM Sailors S2)
```

# Alternative Ways

- Find the name and age of the oldest sailor

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT S.sname, S.age  
FROM Sailors S  
WHERE S.age = (SELECT MAX(S2.age)  
                FROM Sailors S2)
```



VS.

```
SELECT S.sname, MAX(S.age)  
FROM Sailors S  
GROUP BY S.sname
```



# Revisit: Another Example

- Find age of the youngest sailor with age  $\geq 18$ , for each rating level with at least 2 such sailors

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

```
SELECT S.rating, MIN (S.age) AS minage
FROM Sailors S
WHERE S.age >= 18
GROUP BY S.rating
HAVING COUNT (*) > 1
```



# An Alternative Way

- Find age of the youngest sailor with age  $\geq 18$ , for each rating level with at least 2 such sailors

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

The HAVING clause can include subqueries!

OR...

```
SELECT S.rating, MIN (S.age) AS minage
FROM Sailors S
WHERE S.age >= 18
GROUP BY S.rating
HAVING 1 < (SELECT COUNT (*)
            FROM Sailors S2
            WHERE S.rating = S2.rating)
```

# Yet Another Way

- Find age of the youngest sailor with age  $\geq 18$ , for each rating level with at least 2 such sailors

Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

The FROM clause can include subqueries!

OR...

```
SELECT Temp.rating, Temp.minage
FROM (SELECT S.rating, MIN(S.age) AS minage,
            COUNT(*) AS ratingcount
      FROM Sailors S
     WHERE S.age >= 18
    GROUP BY S.rating) AS Temp
WHERE Temp.ratingcount > 1
```

Necessary!

# Expressing the Division Operator in SQL

- Find the names of sailors who have reserved all boats


Sailors			
Sid	Sname	Rating	age
22	Dustin	7	45.0
29	Brutus	1	33.0

Reserves		
Sid	Bid	Day
22	101	10/10/2013
22	102	10/10/2013

Boats		
Bid	Bname	Color
101	Interlake	Red
102	Clipper	Green

```
SELECT S.sname
FROM Sailors S
WHERE NOT EXISTS ((SELECT B.bid
                    FROM Boats B)
                  EXCEPT
                  (SELECT R.bid
                   FROM Reserves R
                   WHERE R.sid = S.sid))
```

# Outline



# Reminder: Our Mini-U DB

STUDENT		
<u>Ssn</u>	Name	Address
123	smith	main str
234	jones	QF ave

CLASS		
<u>c-id</u>	c-name	units
15-413	s.e.	2
15-412	o.s.	2

TAKES		
<u>SSN</u>	<u>c-id</u>	grade
123	15-413	A
234	15-413	B

# Revisit: Insertions

```
insert into student(ssn, name, address)  
values (123, 'smith', 'main')
```

OR...

```
insert into student  
values (123, 'smith', 'main')
```

# Bulk Insertions

- How to insert, say, a table of “foreign-student”, in *bulk*?

```
insert into student  
    select ssn, name, address  
    from foreign-student
```

# Revisit: Deletions

- Delete the record of 'smith'

```
delete from student  
where name='smith'
```

Be careful - it deletes ALL the 'smith's!



# Revisit: Updates

- Update the grade to 'A' for ssn=123 and course 15-415

**update** takes  
**set** grade='A'  
**where** ssn = 123 and c-id= '15-415'

# Updating Views

- Consider the following view:


```
create view db-takes as  
(select * from takes where c-id="15-415")
```

- What if c-id is modified to '15-440'?
- What if c-id is deleted?

A Rule of thumb: A command that affects a row in the view affects all corresponding rows in underlying tables!

View updates are tricky - typically, we can only update views that have no joins, nor aggregates!

# Outline



# NULL Values

- Column values can be *unknown* (e.g., a sailor may not yet have a rating assigned)
- Column values may be *inapplicable* (e.g., a maiden-name column for men!)
- The **NULL** value can be used in such situations
- However, the NULL value complicates many issues!
  - Using NULL with aggregate operations
    - COUNT (\*) handles NULL values like any other values
    - SUM, AVG, MIN, and MAX discard NULL values
  - Comparing NULL values to valid values
  - Comparing NULL values to NULL values

# Comparing Values In the Presence of NULL

- Considering a row with rating = NULL and age = 20; what will be the result of comparing it with the following rows?
  - Rating = 8 OR age < 40 → TRUE
  - Rating = 8 AND age < 40 → unknown
- In general:
  - NOT unknown → unknown
  - True OR unknown → True
  - False OR unknown → unknown
  - False AND unknown → False
  - True AND unknown → unknown
  - Unknown [AND|OR] unknown → unknown

In the context of *duplicates*, the comparison of two NULL values is implicitly treated as TRUE (Anomaly!)

# Comparing Values In the Presence of NULL

- Considering a row with rating = NULL and age = 20; what will be the result of comparing it with the following rows?
  - Rating = 8 OR age < 40 → TRUE
  - Rating = 8 AND age < 40 → unknown

- In general:

- NOT unknown → unknown
- True OR unknown → True
- False OR unknown → unknown
- False AND unknown → False
- True AND unknown → unknown
- Unknown [AND|OR|=] unknown → unknown

***Three-Valued Logic!***

# Inner Join

- Tuples of a relation that do not match some rows in another relation (according to a join condition *c*) do not appear in the result
  - Such a join is referred to as “**Inner Join**” (*so far, all inner joins*)

```
select ssn, c-name  
from takes, class  
where takes.c-id = class.c-id
```

Equivalently:

```
select ssn, c-name  
from takes join class on takes.c-id = class.c-id
```

# Inner Join

- Find all SSN(s) taking course s.e.

TAKES		
<u>SSN</u>	<u>c-id</u>	grade
123	15-413	A
234	15-413	B

CLASS		
<u>c-id</u>	c-name	units
15-413	s.e.	2
15-412	o.s.	2

<u>SSN</u>	<u>c-name</u>
123	s.e
234	s.e

**o.s.: gone!**



# Outer Join

- But, tuples of a relation that do not match some rows in another relation (according to a join condition *c*) can still appear exactly once in the result
  - Such a join is referred to as “Outer Join”
  - Result columns will be assigned NULL values

```
select ssn, c-name  
from takes outer join class  
on takes.c-id=class.c-id
```

# Outer Join

- Find all SSN(s) taking course s.e.

TAKES		
<u>SSN</u>	<u>c-id</u>	grade
123	15-413	A
234	15-413	B

CLASS		
<u>c-id</u>	c-name	units
15-413	s.e.	2
15-412	o.s.	2

<u>SSN</u>	<u>c-name</u>
123	s.e
234	s.e.
null	o.s.



# Joins

- In general:

```
select [column list]
from table_name
      [inner | {left | right | full} outer ] join
      table_name
      on qualification_list
Where ...
```

# Summary

- Nested Queries
  - IN, NOT IN, EXISTS, NOT EXISTS, *op* ANY and *op* ALL where *op*  $\in \{<, <=, =, <>, >=, >\}$
  - Re-writing INTERSECT using IN
  - Re-writing EXCEPT using NOT IN
  - Expressing the division operation using NOT EXISTS and EXCEPT (*there are other ways to achieve that!*)
- Other DML commands: INSERT (including *bulk* insertions), DELETE and UPDATE (for tables and views)
- Null values and inner vs. outer Joins

# Next Class

SQL- Part III &  
Storing Data: Disks and Files (*if  
time allows*)