

## Linked list segments

```

1 struct list_node {
2     int data;
3     struct list_node* next;
4 };
5 typedef struct list_node list;
6
7 bool is_segment(list* start, list* end) {
8     if (start == NULL) return false;
9     if (start == end) return true;
10    return is_segment(start->next, end);
11 }
12
13 struct linkedlist_header {
14     list* start;
15     list* end;
16 };
17 typedef struct linkedlist_header linkedlist;
18
19 bool is_linkedlist(linkedlist* L) {
20     if (L == NULL) return false;
21     return is_segment(L->start, L->end);
22 }

```

In lecture, we talked about the `is_segment(start, end)` function that tells us we can start at `start`, follow `next` pointers, and get to `end` without ever encountering a `NULL`. (We won't worry about the problems with getting `is_segment` to terminate in this recitation.) A `linkedlist` is a non-`NULL` pointer that captures a reference to both the start and end of a linked list.

Here's an example of a specification function that uses `is_segment` as a precondition.

```

1 bool eq(list* start1, list* end1, list* start2, list* end2)
2 //@requires is_segment(start1, end1);
3 //@requires is_segment(start2, end2);
4 {
5     if (start1 == end1 && start2 == end2) return true;
6     if (start1 == end1 || start2 == end2) return false;
7     return start1->data == start2->data
8         && eq(start1->next, end1, start2->next, end2);
9 }

```

Why are the pointer dereferences on line 7 and 8 safe?

---

## Creating a new linked list

Here's the code that creates a new linked list with one non-dummy node. Suppose `linkedlist_new(12)` is called. For each of lines 4–9 (inclusive) draw a diagram that shows the state of the linked list after that line executes. Use **X** for struct fields that we haven't initialized yet.

```
1 linkedlist* linkedlist_new(int data)
2 // @ensures is_linkedlist(\result);
3 {
4     list* p = alloc(struct list_node);
5     p->data = data;
6     p->next = alloc(struct list_node);
7     linkedlist* L = alloc(struct linkedlist_header);
8     L->start = p;
9     L->end = p->next;
10    return L;
11 }
```

4.

5.

6.

7.

8.

9.

## Adding to the end of a linked list

We can add to either the start or the end of a linked list. The following code adds a new list node to the *end*, the way a queue would:

```
1 void add_end(linkedlist* L, int x)
2 //@requires is_linkedlist(L);
3 //@ensures is_linkedlist(L);
4 {
5     list* p = alloc(struct list_node);
6     L->end->data = x;
7     L->end->next = p;
8     L->end = p;
9 }
```

Suppose `add_end(L, 3)` is called on a linked list `L` that contains before the call, from start to end, the sequence `(1, 2)`. Draw the state of the linked list after each of lines 5–8 (inclusive). Include the list struct separately before it has been added to the linked list.

5.

6.

7.

8.

## Using `is_segment` as a loop invariant

What are the loop invariants we need to prove the correctness of this function? The loop invariant, as always, must be initially true, must be preserved by every iteration of the loop, and together with the negation of the loop guard must imply the postcondition. What is the termination argument?

```
1 linkedlist* copy(linkedlist* L)
2 //@requires is_linkedlist(L);
3 //@ensures is_linkedlist(\result);
4 //@ensures eq(L->start, L->end, \result->start, \result->end);
5 {
6     linkedlist* N = alloc(linkedlist);
7     N->start = alloc(list);
8     list* o = L->start;
9     list* n = N->start;
10    while (o != L->end)
11
12        //@loop_invariant _____
13
14        //@loop_invariant _____
15
16        //@loop_invariant _____
17
18        //@loop_invariant _____
19
20    {
21        n->data = o->data;
22        n->next = alloc(list);
23        o = o->next; n = n->next;
24    }
25    N->end = n;
26    return N;
27 }
```